

.30-06, cont.

Bullet	Grs. Wt.	Powder	Charge Grs. Wt.	Muzzle Vel. F. S.	Remarks
--------	----------	--------	--------------------	----------------------	---------

LOADS FOR CAST BULLETS (Cont.):

308284	207	Hi-Vel No. 2	25.0	1580	
308284	207	Hi-Vel No. 2	34.0	2060	
308284	207	No. 2400	22.0	1750	
308284	207	Unique	15.0	1530	
308284	207	No. 4064	40.0	2000E	

LOADS FOR JACKETED BULLETS:

(In special tight chambered barrel, reduce maximum charges two grains).

Jacketed	74	No. 2400	42.5	3800	.32 auto bullet
Jacketed	74	No. 2400	30.0	2900	.32 auto bullet
Jacketed	74	No. 2400	18.0	2000	.32 auto bullet
Jacketed	80	No. 2400	34.0	3000	.32-20 bullet
Jacketed	80	Hi-Vel No. 2	43.0	2775	.32-20 bullet
Jacketed	85	Hi-Vel No. 2	43.0	2760	.30 Mauser bullet
Jacketed	93	No. 2400	29.0	2650	.30 Luger bullet
Jacketed	93	Hi-Vel No. 2	52.8	3500	.30 Luger bullet
Jacketed	93	No. 4320	57.0	3200	.30 Luger bullet
Jacketed	93	Hi-Vel No. 2	35.0	2400	.30 Luger bullet
Jacketed	93	Hi-Vel No. 2	46.0	3120	.30 Luger bullet
Jacketed	93	No. 3031	54.0	3150E	.30 Luger bullet
Jacketed	100	No. 4198	27.0	2700	.32-20 bullet
Jacketed	100	No. 4064	48.0	2700	.32-20 bullet
Jacketed	100	Hi-Vel No. 2	43.0	2700	.32-20 bullet
Jacketed	100	No. 3031	47.0	2700	.32-20 bullet
Jacketed	110	No. 3031	50.0	2860	
Jacketed	110	No. 4759	30.0	2372	
Jacketed	110	No. 3031	54.5	3310	Maximum load
Jacketed	110	No. 4064	50.0	2710E	
Jacketed	110	No. 4064	56.0	3285	Maximum load
Jacketed	110	Hi-Vel No. 2	47.0	2600	
Jacketed	110	Hi-Vel No. 2	52.5	3300	Maximum load
Jacketed	110	No. 4320	60.5	3300	
Jacketed	110	No. 4895	62.0	3475	
Jacketed	115	Hi-Vel No. 2	47.0	2600	
Jacketed	115	No. 3031	47.0	2550	
Jacketed	115	No. 4064	48.0	2550	
Jacketed	115	No. 4198	27.0	2500	
Jacketed	125	No. 4350	59.0	3200	Barnes bullet
Jacketed	125	No. 3031	52.0	2960E	Barnes bullet
Jacketed	150	No. 4320	50.0	2800E	Barnes bullet
Jacketed	150	No. 4759	18.0	1508	Whelen small game load
Jacketed	150	No. 2400	22.0	2000E	
Jacketed	150	No. 4320	50.0	2800E	
Jacketed	150	Hi-Vel No. 2	45.0	2730	
Jacketed	150	No. 4064	57.0	3065	Maximum load (F. A. Primer)
Jacketed	150	No. 3031	54.0	3015	Maximum load (F. A. Primer)
Jacketed	150	No. 4320	57.5	3010	
Jacketed	150	No. 4064	54.0	3005	Maximum load (Comm. Primer)
Jacketed	153	No. 4895	36.0	2000	M2 bullet
Jacketed	153	No. 4895	45.2	2500	M2 bullet
Jacketed	153	No. 4895	47.0	2620	M2 bullet

Note: Maximum Loads with F. A. Primers should be reduced 4.0 grains for Commercial Primers.